

STREET ADDRESS

MAILING ADDRESS:

Lazarus Government Center 50 W. Town St., Suite 700 Columbus, Ohio 43215 TELE: (614) 644-3020 FAX: (614) 644-3184 www.epa.state.oh.us

P.O. Box 1049 Columbus, OH 43216-1049

August 1, 2007

Bennoc Inc P.O. Box 208 Morristown, Ohio 43759

Re:

Allison Adjacent Site

Ohio EPA 401 ID: 52459; U.S. Army Corps of Engineers ID: (P)N21/D-1159-1

Gentlemen:

Ohio EPA issued a Section 401 water quality certification or Isolated Wetland Permit regarding the above stated project on 3/23/2000. As part of this certification or permit, you are required to submit mitigation monitoring reports to Ohio EPA. Ohio EPA has not received any monitoring reports for this project.

Please provide the following to Ohio EPA:

- Copies of all mitigation monitoring reports that have been completed;
- · A written proposal and timeline regarding how you plan to come into compliance;
- A thorough discussion of your 401 application and certification/permit conditions and the extent to which those requirements have been met;
- Actual and/or projected dates development activities and mitigation activities were or will be started and completed;
- An explanation of why any of the development or mitigation activities have been delayed; and
- Recorded copies of required easements for mitigation or avoidance areas on the development site, and/or off-site mitigation areas if not previously provided.

Please provide the above items within 30 days of this letter. Please include the Ohio EPA identification number referenced above on all submittals. Also, please provide contact information including e-mail address(es).

If you have any questions or if you would like to receive a copy of your 401 certification or Isolated Wetland Permit, please contact Michael Smith at 614-644-2326 or mike.smith@epa.state.oh.us.

Sincerely,

Ric Queen, Manager

Environmental Mitigation & Transportation Section

cc: U.S. Army Corps of Engineers